acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Relevant identified uses of the substance or mixture and uses advised against

1.1 Product identifier

1.2

Trade name Product code(s)

General use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

1.3 Details of the supplier of the safety data sheet

e-mail (competent person)

Relevant identified uses

Uses advised against

1.3 Details of the supplier of the safety data sheet

Manufacturer: P.O.R. Products: 38 Portman Road: New Rochelle: NY 10801: United States: support@porproducts.com: www.porproducts.com: support@porproducts.com

POR 15 RUST REMOVER

40701, 40704, 240701, 240704

Supplier of Product: Sydney Automotive Paints & Equipment Pty Ltd A3/ 366 Edgar Street Condell Park, NSW 2200 Australia +61 2 9772 9000:

1.4 Emergency telephone number

Australia (Mon - Fri, 08:00-16:00 AEST)

General Medical Information: +61 2 9772 9000 Transport Information: +61 2 9772 9000

Page: 1 / 11

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

- Signal word danger





acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

- Pictograms	
GHS05	
- Hazard statements	
H314	Causes severe skin burns and eye damage.
- Precautionary state	ements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container to industrial combustion plant.
- Hazardous ingredie	ents for labelling potassium hydroxide

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
water	CAS No 7732-18-5	≥90	
1-Hydroxyethane-1,1-diylbis(phos- phonic acid)	CAS No 2809-21-4	5-<10	Acute Tox. 5 / H303
potassium hydroxide	CAS No 1310-58-3	1-<5	Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

Name of substance	Identifier	Wt%	Classification acc. to GHS
	CAS No 51811-79-1	0.1 - < 1	
propan-2-ol	CAS No 67-63-0	0 - < 0.1	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336
phosphoric acid %	CAS No 7664-38-2	0 - < 0.1	Skin Corr. 1B / H314 Eye Dam. 1 / H318
Poly(oxyethylene) nonylphenyl eth- er	CAS No 9016-45-9	0-<0.1	Acute Tox. 5 / H303 Aquatic Acute 2 / H401
water	CAS No 7732-18-5	0-<0.1	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	cupational exposure limit values (Workplace Exposure Limits)									
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]	Nota- tion	Source
AU	potassium hydrox- ide	1310-58-3	WES					2		WES
AU	isopropyl alcohol (propan-2-ol)	67-63-0	WES	400	983	500	1,230			WES
AU	phosphoric acid (orthophosphoric acid)	7664-38-2	WES		1		3			WES

Notation

STEL

Ceiling-C ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified)

Relevant DNELs of components								
Name of substance	CAS No	Endpoint		Protection goal, route of exposure	Used in	Exposure time		
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	DNEL	12 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects		



Version number: GHS 3.0

Replaces version of: 2024-02-20 (GHS 2)

Safety Data Sheet

acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	DNEL	34 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic ef- fects
potassium hydroxide	1310-58-3	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Relevant PNECs of	fcomponent	S				
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	PNEC	0.068 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	PNEC	0.007 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	PNEC	40 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	PNEC	136 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	PNEC	13.6 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
1-Hydroxyethane-1,1- diylbis(phosphonic acid)	2809-21-4	PNEC	10 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

Vapour pressure	0 Pa at 25 °C	



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant			
Other safety characteristics				
Solid content	5.009 %			

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

Acute toxicity estimate (ATE) of components				
Name of substance	CAS No	Exposure route	ATE	
1-Hydroxyethane-1,1-diylbis(phosphonic acid)	2809-21-4	oral	3,130 ^{mg} / _{kg}	
potassium hydroxide	1310-58-3	oral	333 ^{mg} / _{kg}	
Poly(oxyethylene) nonylphenyl ether	9016-45-9	oral	4,290 ^{mg} / _{kg}	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information 14.1 **UN number** not subject to transport regulations 14.2 UN proper shipping name not relevant 14.3 Transport hazard class(es) none Packing group 14.4 not assigned 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations 14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.



acc. to Safe Work Australia - Code of Practice

POR 15 RUST REMOVER

Revision: 2024-02-20

Version number: GHS 3.0 Replaces version of: 2024-02-20 (GHS 2)

National regulations (Australia)

AIIC-Australian Inventory of Industrial Chemicals (AIIC)

Australian Inventory of Chemical Substances

Name acc. to inventory	CAS No	
water	7732-18-5	
phosphoric acid	7664-38-2	
potassium hydroxide	1310-58-3	

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADG-Australian Dangerous Goods Code. AICIS-Australian Inventory of Chemical Substances. AIIC-Australian Inventory of Industrial Chemicals.

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.