

## Safety Data Sheet

Revision Date 13-Sep-2017 Version 1 Supercedes Date: No information available

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

Product code 16400.G01 (USCPROG3)

Product name PRO GOLD ES GAL

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Fillers and putty

## 1.3. Details of the supplier of the safety data sheet

See section 16 for more information

Valspar Corporation Level 4, 2 Burbank Place Baulkham Hills, New South Wales 2153

Valspar Corporation 2-14 Patiki Road, Avondale 1026 Auckland, New Zealand

For further information, please contact

E-mail address sdshelpdesk@valspareurope.com

## 1.4. Emergency telephone number

**Australia** 1-300-954-120 **New Zealand** +64-48319013

## Poison control centre phone number

**Australia** 13 11 26 **New Zealand** 0800 764-766

#### 1.5 Distributed by

Sydney Automotive Paints and Equipment Pty Ltd Unit A3, 366 Edgar Street Condell Park NSW 2200 Tel: (02) 9772 9000

reception@sape.com.au

## **GHS - Classification**

Skin Corrosion/Irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Flammable liquids	Category 3

## Label elements



Signal word

**DANGER** 

Contains Styrene

#### **HAZARD STATEMENTS**

Flammable liquid and vapour
CAUSES SKIN IRRITATION
Causes serious eye irritation
Suspected of damaging fertility or the unborn child
Causes damage to organs through prolonged or repeated exposure

#### **PREVENTION**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapours/spray

Do not eat, drink or smoke when using this product

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

#### **RESPONSE**

IF exposed or concerned: Get medical advice/attention

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

#### **INHALATION**

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

## **INGESTION**

Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

#### **FIRE**

In case of fire: Use CO2, dry chemical, or foam for extinction

#### STORAGE

Store locked up

Store in a well-ventilated place. Keep cool

#### **DISPOSAL**

Dispose of contents/container to an approved waste disposal plant

#### **OTHER HAZARDS**

Not applicable

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Styrene	100-42-5	10 - 25
N,N-Dimethylaniline	121-69-7	0.3 - 1

If this section is blank, there are no hazardous components per NOHSC guidelines.

## **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

#### **General Advice**

IF exposed or concerned: Get medical advice/attention.

#### **Eve Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Skin contact

If skin irritation occurs: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

#### INHALATION

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### **INGESTION**

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

#### 5.1. Extinguishing media

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

## 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

HAZCHEM Code: 3Y

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Avoid breathing vapours or mists. Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Take precautionary measures against static discharges.

## For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so.

## **Methods for Cleaning Up**

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

#### 6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

## Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Do not breathe dust/fume/gas/mist/vapours/spray. Use only in well-ventilated areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.

#### General hygiene considerations

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep tightly closed in a dry and cool place.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure Limits**

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

Chemical name	Australia	New Zealand	ACGIH TLV
Styrene 100-42-5	TWA: 50 ppm TWA: 213 mg/m³ STEL: 100 ppm	TWA: 50 ppm TWA: 213 mg/m³ STEL: 100 ppm	STEL: 40 ppm TWA: 20 ppm
N,N-Dimethylaniline	STEL: 426 mg/m³  TWA: 5 ppm	STEL: 426 mg/m <sup>3</sup> S* TWA: 5 ppm	STEL: 10 ppm
121-69-7	TWA: 25 mg/m <sup>3</sup> STEL: 10 ppm STEL: 50 mg/m <sup>3</sup> S*	TWA: 25 mg/m³ STEL: 10 ppm STEL: 50 mg/m³ S*	TWA: 5 ppm S*

#### **Biological Limit Values:.**

Chemical name	Australia	New Zealand
Styrene		1 g/L urine end of shift Mandelic acid
100-42-5		

#### 8.2. Exposure controls

#### **Engineering controls**

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

#### **Personal Protective Equipment**

## **Eye/Face Protection**

Wear safety glasses with side shields (or goggles).

#### **Skin and Body Protection**

Wear suitable protective clothing. Wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

#### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance. Wear protective gloves.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### **Thermal Protection**

No information available

#### **Environmental exposure controls**

Do not allow into any sewer, on the ground or into any body of water

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State Paste/Gel

**Appearance** No information available

Odour Aromatic
Colour Yellow

Odour threshold No information available

PH No information available Melting point/freezing point No information available

Boiling point / boiling range No information available °C / °F

Flash Point 29 °C / 84 °F

Method

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability limit in air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour Density

No information available
No information available
No information available

Specific gravity 1

Solubility(ies) No information available Partition coefficient No information available **Autoignition Temperature** No information available **Decomposition temperature** No information available Kinematic viscosity 44000 mm2 per second Dynamic viscosity No information available **Explosive Properties** No information available **Oxidising Properties** No information available

9.2. Other information

Molecular Weight No information available

## **Section 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

#### Hazardous polymerisation

None under normal processing.

## Possibility of hazardous reactions

None under normal processing.

#### 10.4. Conditions to avoid

Heat, flames and sparks.

#### 10.5. Incompatible materials

Bases. Strong bases. Strong oxidising agents. Acids. Alkali. Aluminium. Copper. Halogens.

## 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

## **Section 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

#### Information on Likely Routes of Exposure

Eye ContactCauses serious eye irritation.Skin contactCAUSES SKIN IRRITATION.

INGESTIONNot applicable.INHALATIONNot applicable.

#### **Numerical Measures of Toxicity - Product Information**

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 16,374.00 Mg/kg ATEmix (dermal) 49,123.00 Mg/kg ATEmix (inhalation-dust/mist) 7.30 Mg/l ATEmix (inhalation-vapour) 53.00 Mg/l

**UNKNOWN ACUTE TOXICITY** .0001% of the mixture consists of ingredient(s) of unknown toxicity.

## Numerical Measures of Toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Styrene 100-42-5	= 1000 mg/kg ( Rat )	-	= 11.7 mg/L ( Rat ) 4 h
N,N-Dimethylaniline 121-69-7	= 951 mg/kg ( Rat )	= 1770 μL/kg ( Rabbit )	> 0.5 - 5.0 mg/L ( Rat ) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/IrritationCAUSES SKIN IRRITATIONSerious eye damage/eye irritationCauses serious eye irritation

Skin SensitisationNot applicableRespiratory SensitisationNot applicableGerm Cell MutagenicityNot applicableCarcinogenicityNot applicable

Reproductive toxicity Suspected of damaging fertility or the unborn child

Specific target organ toxicity (single exposure)

Not applicable

Specific target organ toxicity (repeated exposure)

Causes damage to organs through prolonged or repeated

exposure

Styrene Ears

Aspiration Hazard Not applicable

## **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Precautions** Prevent product from entering drains.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Styrene 100-42-5	0.15 - 3.2 mg/L Pseudokirchneriella subcapitata 96 h EC50 0.46 - 4.3 mg/L Pseudokirchneriella subcapitata 72 h EC50 = 0.72 mg/L Pseudokirchneriella subcapitata 96 h EC50 = 1.4 mg/L Pseudokirchneriella subcapitata 72 h EC50	promelas 96h LC50	3.3 - 7.4 mg/L Daphnia magna 48h EC50
N,N-Dimethylaniline 121-69-7	= 340 mg/L Desmodesmus subspicatus 96 h EC50	0.183 - 0.186 mg/L Brachydanio rerio 96h LC50 = 51.1 mg/L Brachydanio rerio 96h LC50 = 53.7 mg/L Poecilia reticulata 96h LC50 = 65.6 mg/L Pimephales promelas 96h LC50 = 52.6 mg/L Pimephales promelas 96h LC50	= 5 mg/L Daphnia magna 48h EC50

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility No information available.

Chemical name	Partition Coefficient (n-octanol/water)
Styrene 100-42-5	2.95
N,N-Dimethylaniline 121-69-7	2.278

## **Section 13: DISPOSAL CONSIDERATIONS**

## 13.1. Waste treatment methods

Waste from Residues/Unused Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal. Empty

containers must be scrapped or reconditioned.

## **Section 14: TRANSPORT INFORMATION**

14.1 UN/ID no 14.2 Proper Shipping Name	IMDG UN1866 Resin solution	ADG UN1866 Resin solution	IATA UN1866 Resin solution
14.3 Hazard class	3	3	3
14.4 Packing group	III	III	III
14.5 Environmental hazard Not	applicable		
14.6 Special Provisions	223, 955 <b>EmS-No</b> F-E, S-E	223, *	А3

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC CODE

No information available

HAZCHEM Code: 3Y

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

## **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National Regulations

#### **Australia**

See section 8 for national exposure control parameters

#### **New Zealand**

See section 8 for national exposure control parameters

#### **International Inventories**

**AICS** - Australian Inventory of Chemical Substances **NZIoC** - New Zealand Inventory of Chemicals

All components are listed or exempt from listing Not all components are listed or exempt from listing

## 15.2. Chemical safety assessment

No information available

## **Section 16: OTHER INFORMATION**

Prepared by Product Stewardship

Revision Date 13-Sep-2017

Revision note Not applicable.

## Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

**End of Safety Data Sheet**